



Powell ø90mm

05-9858-34-CM

Spotlight IP65 Powell ø90mm LED 6.5W 4000K Grey

TECHNICAL FEATURES



Power (W) : 6.5W

Total power consumption of light (W) : 9.7W

Colour temperature : LED neutral-white 4000K

Structure material : Aluminium

Structure finish : Grey

Diffuser material : Glass

Diffuser finish : Transparent

Useful life : 50.000h L80B20

Equipment included : Yes, electronic

Voltage / frequency : 100-240VAC/50-60Hz

Warranty : 2 Years

Max. temperature : 25°C

Seaside : No

Energy efficiency : LED A++

LUMINOTECHNIC FEATURES

Light source: LED

CRI: 75

MacAdam steps: 2

LOGISTICS

Net weight (kg): 0.9

Packaged weight (kg): 1.11





71-9487-34-34

Structure material:



71-9997-05-05

235mm stake

Structure material: Resin
Dimensions: 50 x NA x 235
Net weight (kg): 0.07



71-9998-05-05

302mm stake

Structure material: Resin
Dimensions: 60 x 302 x NA
Net weight (kg): 0.18



71-9746-05-05

Pergola mounting system for up to 3 spotlights

Structure material: Polycarbonate
Dimensions: NA x NA x NA
Net weight (kg): 0.11



71-E016-Z5-Z5

Base for cables of Ø6mm to Ø13.5mm


Structure material: Aluminium
Dimensions: 148 x NA x 62
Net weight (kg): 0.63




71-9999-Z5-Z5

Mount for columns or trees


Structure material: Aluminium
Dimensions: 30 x NA x 108
Net weight (kg): 0.3




CRISTAL TRANSPARENTE
TRANSPARENT GLASS



ALUMINIO
ALUMINIUM



ALUMINIO INYECTADO
INJECTED ALUMINIUM



PLANTILLA DE INSTALACIÓN
INSTALLATION TEMPLATE

